

<b>Prüfbericht - Nr.:</b> <i>Test Report No.:</i>		<b>IND/BLR/Ch/2015/4532 Part-B</b>		<b>Seite 1 von 2</b> <i>Page 1 of 2</i>	
<b>Auftraggeber:</b> <i>Client:</i>		<b>DIVINE ATMOS PRIVATE LIMITED</b> 5A-1, 4 <sup>th</sup> Street, Chintamani Nagar, K.K pudur, Coimbatore – 641038 Tamilnadu, India			
<b>Gegenstand der Prüfung:</b> <i>Test item:</i>		<b>Green Atmos Plates</b>			
<b>Bezeichnung:</b> <i>Identification:</i>		-		<b>Serien-Nr.:</b> <i>Serial No./Document Submitted:</i>	
				Email Dated: 29.07.2015	
<b>Wareneingangs-Nr.:</b> <i>Receipt No.:</i>		03082015		<b>Eingangsdatum:</b> <i>Date of receipt:</i>	
<b>Order No.:</b>		1803090947		03.08.2015	
				<i>Testing Period:</i> 03.08.2015 to 10.08.2015	
<b>Prüfört:</b> <i>Testing location:</i>		TÜV Rheinland India Pvt Ltd, Plot No.17B, Electronic City Phase II Industrial Area, Hosur Road, Bangaluru - 560 100, Karnataka, India			
<b>Prüfgrundlage:</b> <i>Test specification:</i>		Testing for Microbiological parameters			
<b>Prüfergebnis:</b> <i>Test Result:</i>		Refer to the following page (s). 2 to 2			
<b>Prüflaboratorium/ Testing Laboratory:</b>					
<b>zusammengestellt/ compiled by:</b>			<b>kontrolliert/ checked by:</b>		
10.08.2015		Pavan Purohit Senior Microbiologist Industry Services		10.08.2015	
				Chandrashekara Aithala B Manager Industry Services	
<b>Datum</b> <i>Date</i>	<b>Name</b> <i>Name</i>	<b>Unterschrift</b> <i>Signature</i>	<b>Datum</b> <i>Date</i>	<b>Name</b> <i>Name</i>	<b>Unterschrift</b> <i>Signature</i>
<b>Sonstiges/ Other Aspects:</b> This report contains Part A,C & D as additional tests					
<b>Abkürzungen:</b>		<i>ok / P = entspricht Prüfgrundlage</i>		<b>Abbreviations:</b>	
		<i>fail / F = entspricht nicht Prüfgrundlage</i>		<i>ok / P = passed</i>	
		<i>n.a. / N = nicht anwendbar</i>		<i>fail / F = failed</i>	
				<i>n.a. / N = not applicable</i>	
<b>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.</b>					
<i>This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.</i>					

**Prüfbericht - Nr.:** IND/BLR/Ch/2015/4532 Part-B  
*Test Report No.:***Seite 2 von 2**  
*Page 2 of 2***TEST REPORTS**

<b>Sample Description</b>	<b>Green Atmos Plates</b>
Sampling : 1. Submitted Sample collected by the laboratory : No	

**MICROBIOLOGICAL PARAMETERS:**

<b>SI No.</b>	<b>Parameters</b>	<b>Unit</b>	<b>Results</b>	<b>Test Method</b>
1	Total Coliform Count	Cfu/g	<10	IS 5401 (Part 1): 2012
2	Total Yeast & Mold Count	Cfu/g	<10	IS 5403: 1999, Reaffirmed 2005

-----End of Test Report-----